# AUTHOR INDEX FOR VOLUME 65
# (JULY THROUGH DECEMBER, 1987)


## A

Aaron, D. K., 128, 1495
Aberle, E. D., 1236
Abrams, S. M., 1639
Akin, D. E., 609
Allen, D. M., 165
Alva-Valdes, R., 877
Ammerman, C. B., 1700
Amos, H. E., 224
Anbil, R., 901
Andersen, M. A., 865
Anderson, D. B., 881
Anderson, D. L., 325
Anderson, G. B., 317, 325
Arambel, M. J., 734
Archibong, A. E., 752
Armstrong, J. D., 508
Aulerich, R. J., 1759
Avery, T. B., 777, 1610

## B

Bailey, C. M., 16
Baker, D. H., 179, 699, 706, 877, 1538
Baker, E. C., 235, 1617
Baldwin, R. L., 150
Barclay, R. A., 244
Bartle, S. J., 481
Bassett, J. W., 929
Bauer, M. L., 290, 1319
Baumrucker, C. R., 619, 630
Bazer, F. W., 1400
Beaver, E. E., 1381
Becker, S. E., 1292
Beermann, D. H., 1514
Belesky, D. P., 727
Bennett, G. L., 1471, 1477, 1487
Benyshek, L. L., 56
Berardinelli, J. G., 645, 1571
Berger, L. L., 235, 244, 658, 669, 1465, 1617
Bernier, J. F., 982
Blackburn, H. D., 373, 387, 399
Blackwell, R. L., 929
Boerner, B. J., 303, 309
Boggs, D. L., 224
Boling, J. A., 1094, 1336, 1680
Bolton, R. C., 42, 48
Bond, J., 797
BonDurant, R. H., 317, 325
Bourdon, R. M., 943, 956, 963
Bowman, D. K., 1113
Boyer, J. E., 1064
Bozak, C. K., 841
Bradford, G. E., 692
Brandt, R. T., 282
Branine, M. E., 1342, 1354
Brazeau, P., 996
Brink, D. R., 282, 290, 548, 1647
Brinks, J. S., 943, 956, 963
Britt, J. H., 508
Britton, R. A., 290, 1312, 1319, 1327, 1647
Broderick, G. A., 1042
Brown, D. L., 692
Brown, D. R., 1042
Brown, J. L., 1563
Brumm, M. C., 9
Buchanan, D. S., 117, 910, 919
Buhr, M. M., 1027
Bunting, L. D., 1336, 1680
Bursian, S. J., 1759
Butler, J. E., 317, 325
Butler, W. R., 1514
Byerley, D. J., 645, 1571
Byers, F. M., 303, 309, 1633

## C

Calhoun, M. C., 1553, 1626
Calvert, C. C., 150, 982
Cantley, T., 1576
Carnevale, E. M., 1775
Carstens, G. E., 745
Cartwright, T. C., 373, 387, 399, 929
Castree, J. W., 42, 48
Cera, K., 1149
Chakraborty, P. K., 1563
Chang, C.-F., 217, 771
Chang, C. J., 1273
Chapin, L. T., 1306
Chase, C. C., Jr., 557
Chirase, N. K., 1633
Christenson, R. K., 738
Clark, K. E., 534
Cleale, R. M., IV, 1312, 1319, 1327
Cline, T. R., 877
Clutter, A. C., 1207
Cochran, R. C., 777
Coffey, M. T., 1249
Cole, N. A., 1049
Coleman, S. W., 42, 48, 1077
Combs, D. K., 1753
Combs, G. E., 1249
Conley, A. J., 500
Conner, M. C., 1131
Coppock, C. E., 303, 309
Corah, L. R., 165, 777
Couture, Y., 996
Craig, J. V., 463
Craig, W. M., 1042
Crickman, J. G., 224
Cromwell, G. L., 877
Cundiff, L. V., 33, 1180
Curtis, S. E., 445

## D

Dailey, R. A., 1595
Dally, M. R., 692
Dalrymple, R. H., 1392, 1514
Darden, D. E., 658
Davenport, G. M., 1680
Davis, D. L., 1500
Davis, G. V., 1690
Davis, G. W., 1531
Davis, K. L., 685
Davis, M. E., 886
Davis, S. L., 63
Dawson, K. A., 1336
Day, B. N., 1576
Day, M. L., 1207
Dearborn, D. D., 33, 1180
DeHaan, K. C., 1465
DeNise, R.S.K., 366
Devine, O. J., 727
Diekman, M. A., 1173, 1236
Dikeman, M. E., 165
Di Marco, O. N., 150
Dubois, S., 717
Dubreuil, P., 996
Dunbar, J. R., 267
Dziuk, P. J., 762

## E

Eargle, J. C., 1201
Easter, R. A., 1266
Eckardt, G. R., 1298
Edmonds, M. S., 179, 699, 706, 1538
Ellersieck, M. R., 1113, 1381
Ellis, W. C., 609
Elsden, R. P., 756
Engdahl, G. R., 1626
England, D. C., 752
Ericsson, G. F., 877
Esbenshade, K. L., 1768

## F

Fahey, G. C., Jr., 235, 244, 658, 1617
Farmer, C., 1034
Faulkner, D. B., 244, 669
Fernandez Rivera, S., 1139
Fernando, R. L., 658
Fishell, V. K., 1514
Flores, E. R., 1283
Flowers, B., 1576
Fontenot, J. P., 1019, 1667
Ford, S. P., 500
Foster, A. G., 877
Fox, M.R.S., 1744
Frahm, R. R., 42, 48, 1077

French, E. C., 786
Funk, M. A., 1342, 1354

G

Galyean, M. L., 1342, 1354
Garleb, K. A., 244
Garner, G. B., 1381
Garrett, W. N., 1371
Garrick, D. J., 409
Gaudreau, P., 996
Gay, N., 1094, 1680
George, P., 669
Gerrard, D. E., 1236
Gerrish, J. R., 1381
Giduck, S. A., 1667
Glenn, B. P., 797
Glenn, S., 797
Goedeken, F. K., 290, 1655
Goff, J., 1727
Gonyou, H. W., 179
Goodall, S. R., 481
Graves, C. N., 445
Gray, D. G., 165
Grebing, S. E., 1113
Green, D. A., 1655
Greene, L. W., 303, 309, 1633
Gregory, K. E., 33, 1180
Grings, E. E., 821
Guerino, F., 619, 630
Gunsett, F. C., 936
Guthrie, H. D., 203

H

Hagen, D. R., 1034
Hallford, D. M., 186
Hancock, D. L., 1381
Hansen, B. C., 1283
Hansen, T. R., 524
Harmon, C. J., 1531
Harmon, D. L., 1064, 1319, 1610
Harms, P. G., 524
Harpster, H. W., 1639
Hartsock, T. G., 203
Harvey, R. W., 830
Hedrick, H. B., 1167, 1381
Henry, Y., 717, 1257
Hentzel, M. D., 762
Hibberd, C. A., 557
Hidiroglou, M., 808, 815
Higginbotham, J. F., 777
Highfill, B. D., 224
Hill, D. A., 173
Hines, R. H., 463
Hoagland, T. A., 1058
Hochstein, J. R., 1759
Hogue, D. E., 1514
Hohenboken, W. D., 896
Holland, M. D., 745
Horn, G. W., 865
Houghton, P. L., 278
Howell, W. E., 651
Hsu, J. T., 244
Huang, Y.-T., 1298
Hudgens, R. E., 196, 1173
Hurnik, J. F., 431
Hutcheson, D. P., 1049
Hylton, W. E., 841

I

Imakawa, K., 1207
Inskeep, E. K., 1595

J

Jacques, K. A., 777
Jaeger, J. R., 543
Jeffcoate, I. A., 651
Jenkins, T. G., 422, 1525
Jensen, A. H., 1013
Johnson, A. L., 1292
Johnson, D. E., 745
Johnson, M. H., 56, 68, 76, 88
Johnson, R. K., 1298
Johnson, Z. B., 1690
Jolette, J., 815
Jones, D. J., 881
Jones, S. J., 1236
Judge, M. D., 1236
Jung, G. A., 1639
Jungst, S. B., 439

K

Keisler, D. H., 1595
Kennelly, J. J., 567
Kensinger, R. S., 1034
Kerr, B. J., 1266
Kesler, D. J., 1465
Kim, Y. K., 1674
Kim, Y. S., 1392
Kinder, J. E., 1207
King, G. J., 431
Kirkpatrick, B. K., 567
Klindt, J., 63
Klopfenstein, T. J., 1139, 1312, 1319, 1327, 1655
Knabe, D. A., 1273, 1283
Knight, W. M., 581
Koch, R. M., 33, 63, 1180
Koh, Y. O., 16
Kreider, D. L., 1690
Kreikemeier, K. K., 290, 548, 1647
Krysl, L. J., 1342
Kuhlers, D. L., 439

L

Lambert, M. G., 1639
Lane, A. M., 366
Lapierre, H., 996
Larrick, D. K., 1381
Lascano, C. E., 609
Lee, Y. B., 1392
Lehner, P. N., 1213
Lellis, W. A., 1006
Lemenager, R. P., 278, 1236
Lewis, A. J., 173
Lewis, M., 1139
Leymaster, K. A., 110, 422, 738
Lipsey, R. J., 1167
Little, D. E., 56
Littledike, E. T., 1727
Lowry, K. R., 706
Lowry, S. R., 1312, 1327
Lynch, G. L., 235, 1617

M

Mabry, J. W., 56
Machado-Neto, R., 445
MacMillan, K. A., 278
Mader, T. L., 9
Mahan, D. C., 1149
Males, J. R., 821, 1124
Malven, P. V., 196, 1602
Marple, D. N., 439
Martin, T. G., 1173
Matulis, R. J., 669
May, B. J., 1626
May, T., 481
McCann, J. S., 1019
McCollum, F. T., 1674
McConnell, J. C., 1201
McGlone, J. J., 456, 1507
McKeith, F. K., 669, 1465
McKinnon, A. O., 534, 1775
McLaren, D. G., 910, 919
Meacham, T. N., 1019
Meckley, P. E., 203
Merchen, N. R., 235, 658, 1617
Merrill, J. K., 282
Mersmann, H. J., 136
Miller, S. J., 1113
Mills, C. F., 1702
Moberg, G. P., 1228
Moffatt, R. J., 1400
Mollett, T. A., 1113
Moore, K. J., 278
Morisset, J., 996
Morrow, R. E., 1381
Mowrey, D. H., 881
Muntifering, R. B., 1094
Murray, R. A., 841
Myer, R. O., 475

N

Nagaraja, T. G., 1064
Napolitano, A. C., 1759
Nash, T. G., 1465
Neville, W. E., Jr., 345, 872
Newton, E. A., 1500
Nielsen, M. K., 1207
Nienaber, J. A., 1243
Noblet, J., 717
Nocek, J. E., 841

Norman, B. B., 267
Notter, D. R., 68, 76, 88, 99

O

Oberg, J. L., 212
Odde, K. G., 745
Ohlson, D. L., 63
Old, C. A., 1371
Olson, B. A., 1759
Oltjen, J. W., 1362
Owens, F. N., 267, 1362, 1674

P

Parish, N. R., 1495
Parrott, J. C., 577
Pashen, R. L., 317, 325
Paterson, J. A., 1381
Pelletier, G., 996
Pelton, C. D., 165
Penedo, M.C.T., 317, 325
Peo, E. R., Jr., 173
Petitclerc, D., 996, 1306
Pfeiffer, F. A., 1553
Pollak, E. J., 970, 975
Polzin, V. J., 325
Pond, K. R., 609
Pond, W. G., 497, 1243
Preston, R. L., 481
Prine, G. M., 786
Prior, R. L., 1525
Proulx, J., 815

Q

Quaas, R. L., 970, 975

R

Rahe, C. H., 439
Randel, R. D., 524
Rawlings, N. C., 651
Ray, D. E., 366
Reeves, J. J., 217, 771
Reid, R. L., 1101
Reodecha, C., 675
Richardson, C. R., 1131
Richardson, K. L., 345, 872
Ricker, D. B., 1042
Ricks, C. A., 1514
Ringkob, T. P., 16
Roberts, A. J., 771
Roberts, C. A., 278
Roberts, R. M., 1400
Robison, O. W., 675, 685
Romero, F., 786
Rompala, R. E., 1058
Ross, T. T., 351
Roth, L., 1139
Rowe, J. D., 325
Rule, D. C., 136
Rundle, V. L., 366
Russell, L. E., 1266
Rutter, L. M., 524

S

Sartin, J. L., 727
Satterlee, L. D., 1312, 1319, 1327
Scanes, C. G., 1514
Schelling, G. T., 303, 309, 1633
Schwab, C. G., 841
Schwartz, M. R., 692
Seevers, D. L., 1167
Segerson, E. C., Jr., 524
Seidel, G. E., Jr., 534, 756
Senger, P. L., 212
Shetaewi, M. M., 351
Short, R. E., 645, 1571
Siemens, A. L., 1167
Simmen, F. A., 1149
Sindt, M. H., 290
Slanger, W. D., 901
Smith, G. S., 186
Smith, K. K., 282, 290, 548
Smith, S. B., 136, 597, 1525
Smith, W. L., 1094
Sosnicki, A., 584
Spears, J. W., 830
Speer, V. C., 1006
Squires, E. L., 534, 1775
Staigmiller, R. B., 645, 1571
Stallcup, O. T., 1690
Stanisiewski, E. P., 1306
Stansbury, W. F., 456, 1507
Stevenson, J. S., 1500, 1585
Stewart, R. E., 1585
Stobart, R. H., 929
Stock, R. A., 282, 290, 548, 1647, 1655
Stoecker, B. J., 1531
Stormshak, F., 543, 752
Stuart, L. D., 1563
Stuart, R. L., 267
Stuedemann, J. A., 727
Swatland, H. J., 158
Swierstra, E. E., 1195

T

Tanida, H., 896
Tanksley, T. D., Jr., 1273, 1283
Taylor, M. B., 1064
Tess, M. W., 675
Thatcher, W. W., 1400
Thomas, D. L., 1465
Thompson, F. N., 727
Thonney, M. L., 1
Thrift, F. A., 128, 1495
Titgemeyer, E. C., 658
Toelle, V. D., 685
Toha, M., 1336
Torabi, M., 366
Tracy, J. D., 1013
Tribble, L. F., 456, 1507
Trout, W. E., 1602
Tucker, H. A., 1306
Turner, H. A., 543

U

Ullrey, D. E., 1712
Unruh, J. A., 165
Utley, P. R., 345, 872

V

van Eyes, J. E., 1101
Van Horn, H. H., 786
Van Ornum, K. M., 16
Van Vleck, L. D., 409
Varel, V. H., 488
Vargas, J. V., 463
Vesely, J. A., 1195
Veum, T. L., 877

W

Waldorf, R. C., 1201
Waller, S. L., 1173
Walters, J. L., 734
Ward, J. K., 359
Ward, M. G., 359
Warfield, S. J., 756
Watkins, J. B., III, 186
Wellenreiter, R. H., 881
West, R. L., 475
Wheeler, T. L., 1531
White, L. M., 1595
White, R. D., 734
Wiedmeier, R. D., 734
Wiepkema, P. R., 1220
Williams, B. L., 212
Williams, D. J., III, 345
Williams, F. L., Jr., 1167
Williams, J. E., 910, 919, 1113, 1381
Wolfe, P. L., 1207
Wray, N. R., 970
Wright, H. B., 975
Wu, F. Y., 597
Wu, M. C., 762

Y

Yates, J. A., 1249
Yen, J. T., 1243
Yokley, S. W., 1167
Young, E. P., 203
Young, L. D., 738

Z

Zalesky, D. D., 1207
Zebrowska, T., 1273
Zinn, R. A., 256, 267
Zoellner, K. O., 777

# SUBJECT INDEX FOR VOLUME 65 (JULY THROUGH DECEMBER 1987)


## A

Absorption
- Description and validation of an in situ autoperfusion method to determine nutrient absorption and metabolism in bovine small intestine, 841
- Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610
- Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821

Amino Acids
- Comparative effects of individual amino acid excesses when added to a corn-soybean meal diet: Effects on growth and dietary choice in the chick, 699
- Description and validation of an in situ autoperfusion method to determine nutrient absorption and metabolism in bovine small intestine, 841
- Effect of excess levels of methionine, tryptophan, arginine, lysine or threonine on growth and dietary choice in the pig, 179
- Effect of protein and lysine levels in the diet on body gain composition and energy utilization in growing pigs, 717
- Effects of different heat treatments during processing on nutrient digestibility of soybean meal in growing swine, 1273
- Effects of fasting on tissue amino acid concentrations and urea-cycle enzymatic activities in young pigs, 1538
- Identification of methionine and lysine transport systems in cattle small intestine, 630
- Influence of picolinic acid on the uptake of $^{65}$-zinc-amino acid complexes by the everted rat gut, 173
- Limiting amino acids in an 11% crude protein corn-soybean meal diet for growing pigs, 1266
- Methionine and lysine uptake by cattle small intestine in vitro, 619
- Phenylalanine requirement of the lactating sow, 1006
- Self-selection by growing pigs of diets differing in lysine content, 1257
- Urea cycle metabolism: Effects of supplemental ornithine or citrulline on performance, tissue amino acid concentrations and enzymatic activity in young pigs fed arginine-deficient diets, 706

Androgens
- Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
- Collagen stability, testosterone secretion and meat tenderness in growing bulls and steers, 1236
- Effect of photoperiod and castration on prolactin, testosterone and luteinizing hormone concentrations in male calves, 1306
- Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
- Endocrine profiles, testicular gonadotropin receptors and sperm production in hemi-castrated ram lambs, 1563

Antibiotics
- Effect of efrotomycin on gain and feed efficiency for pigs from weaning until market weight, 877
- Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
- Effect of various levels of avilamycin on the performance of growing-finishing swine, 881
- In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064

Appetite
- Feeding behavior characteristics of intact male lambs as affected by number of lambs in a pen with restricted access to the feed stall, 422

## B

Backfat
- A comparison of methods for ranking boars from different central test stations, 56
- Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475

Bayesian Theory
- Beef cattle feed intake and growth: Empirical Bayes derivation of the Kalman filter applied to a nonlinear dynamic model, 1362

Behavior
- A model for assessing the impact of behavioral stress on domestic animals, 1228
- Design and execution of animal behavior research: An overview, 1213
- Developmental aspects of motivated behavior in domestic animals, 1220
- Effects of feeding systems on social and feeding behavior and performance of finishing pigs, 463
- Effects of heat and social stressors and within-pen weight variation on young pig performance and agonistic behavior, 456
- Effects of weaning weight, co-mingling, group size and room temperature on pig performance, 1201
- Estrous behavior in confined beef cows, 431
- Feeding behavior characteristics of intact male lambs as affected by number of lambs in a pen with restricted access to the feed stall, 422
- Suckling behavior of calves with dams varying in milk production, 1207

Best Linear Unbiased Predictor
- Aspects of selection for performance in several environments with heterogeneous variances, 409

Bile Acids
- Effects of a dietary antimicrobial (carbadox) on liver cholesterol 7α-hydroxylase activity and

bile acid patterns in the young pig, 1013
Biotechnology
A systems analysis approach for studying the effect of reproduction-enhancing biotechnologies on the genetic improvement of beef cattle, 901
Production of ovine chimeras by inner cell mass transplantation, 317
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Thoughts on fiber utilization in swine, 497
Biotransformation
Characterization of xenobiotic biotransformation in hepatic, renal and gut tissues of cattle and sheep, 186
Bitterweed
Effects of environmental, site and phenological factors on hymenoxon content of bitterweed (Hymenoxys odorata), 1553
Blood Flow
Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610
Body Composition
Analysis of bovine udder, plate and viscera using near infrared reflectance spectroscopy, 278
Effect of protein and lysine levels in the diet on body gain composition and energy utilization in growing pigs, 717
Effects of energy intake on energetic efficiency and body composition of beef steers differing in size at maturity, 1371
Influence of frame size and zeranol on growth, compositional growth and plasma hormone characteristics, 1113
Performance, body composition and carcass characteristics of finishing steers as influenced by previous forage systems, 1381
Body Measurements
Effects of prepartum protein nutrition and birth weight on basal metabolism in bovine neonates, 745
Relationship between feeder pig frame size and market hog characteristics, 1167
Body Weight
Effect of efrotomycin on gain and feed efficiency for pigs from weaning until market weight, 877
Effects of weaning weight, co-mingling, group size and room temperature on pig performance, 1201
Estimation of variance and covariance components to determine heritabilities and repeatability of weaning weight in American Simmental cattle, 975
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366
Relative contributions of hyperplasia and hypertrophy to growth in cattle, 150
Breeding Programs
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919
Periodic rotational crosses. I. Breed and heterosis utilization, 1471
Periodic rotational crosses. II. Optimizing breed and heterosis use, 1477
Periodic rotational crosses. III. Sire-breed rotations with overlapping generations among dams, 1487
The crossbred sire: Theory, 99
Breeding Value
A comparison of methods for ranking boars from different central test stations, 56
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88
Breeds
Breed differences in uterine and ovarian measurements in gestating swine, 685
Cholesterol concentration of longissimus muscle, subcutaneous fat and serum of two beef cattle breed types, 1531
Feed efficiency, growth rates, body composition, milk production and milk composition of Targhee sheep selected for increased weaning weight, 692
Genetic parameter estimates for preweaning growth traits in Santa Gertrudis cattle, 1495
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. I. Calf growth to weaning, 42
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. II. Postweaning growth, sexual development and reproductive performance of heifers, 48
Growth traits and composition of two- and three-way-cross intact male progeny of Bos taurus and Bos indicus × Bos taurus dams, 16
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Maternal heterosis and grandmaternal effects in beef cattle: Preweaning traits, 33
Nitrogen metabolism in crossbred steers with varying levels of Brahman using a nitrogen depletion-repletion regimen, 1077
Periodic rotational crosses. I. Breed and heterosis utilization, 1471
Periodic rotational crosses. II. Optimizing breed and heterosis use, 1477
Periodic rotational crosses. III. Sire-breed rotations with overlapping generations among dams, 1487
Reproductive traits of ewe lambs representing eight genetic types born in winter, spring, summer and fall, 1195
Response of purebred and crossbred ewes to intensified management, 651
The crossbred sire: Experimental results for cattle, 128
The crossbred sire: Experimental results for sheep, 110
The crossbred sire: Experimental results for swine, 117
Bromocriptine
Effects of physiologic and pharmacologic agents on serum prolactin concentrations in the nonpregnant mare, 1292
Buffers
Trona and sodium bicarbonate in beef cattle diets: Effects on pH and volatile fatty acid concentrations, 309

Trona and sodium bicarbonate in beef cattle diets: Effects on site and extent of digestion, 303

## C

Calving Season
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. I. Calf growth to weaning, 42
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. II. Postweaning growth, sexual development and reproductive performance of heifers, 48
Carbadox
Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
Effects of a dietary antimicrobial (carbadox) on liver cholesterol 7α-hydroxylase activity and bile acid patterns in the young pig, 1013
Carbohydrates
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates, 1667
Carcasses
Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475
Carcass composition and adipose tissue metabolism in growing sheep, 1525
Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Growth and carcass characteristics of cull cows after different times-on-feed, 669
Growth traits and composition of two- and three-way-cross intact male progeny of Bos taurus and Bos indicus × Bos taurus dams, 16
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Performance, body composition and carcass characteristics of finishing steers as influenced by previous forage systems, 1381
Relationship between feeder pig frame size and market hog characteristics, 1167
Castration
Endocrine profiles, testicular gonadotropin receptors and sperm production in hemi-castrated ram lambs, 1563
Cattle
A systems analysis approach for studying the effect of reproduction-enhancing biotechnologies on the genetic improvement of beef cattle, 901
Ammoniation of warm-season grass hay for gestating beef cows, 359
Analysis of gestation length in American Simmental cattle, 970
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
B-vitamin supplementation of diets for feedlot calves, 267
Breeding performance of bulls assigned either to 40 cows per bull or 80 cows per two bulls during the breeding period, 872
Characterization of xenobiotic biotransformation in hepatic, renal and gut tissues of cattle and sheep, 186
Collagen stability, testosterone secretion and meat tenderness in growing bulls and steers, 1236
Corn residues in beef production systems, 1139
Corpus luteum function following spontaneous or prostaglandin-induced estrus in Brahman cows and heifers, 524
Cow breeding and calf growth performance as affected by pregnancy status the previous year, 345
Cytoplasmic genetic effects on preweaning growth and milk yield in Hereford cattle, 675
Description and validation of an in situ autoperfusion method to determine nutrient absorption and metabolism in bovine small intestine, 841
Developmental aspects of motivated behavior in domestic animals, 1220
Divergent selection for postweaning feed conversion in beef cattle: Predicted response based on an index of feed intake and gain vs feed:gain ratio, 886
Dose response of two synthetic human growth hormone-releasing factors on growth hormone release in heifers and pigs, 996
Effect of feeding sarsaponin in cattle and swine diets, 9
Effect of intraruminally administered, selenium soluble-glass boluses and selenium status in cows and their calves, 815
Effect of lasalocid on weight gains, ruminal fermentation and forage intake of stocker cattle grazing winter wheat pasture, 865
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Effect of soybean lipid on growth and ruminal nitrogen metabolism in cattle fed soybean meal or ground whole soybeans, 1680
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610
Effects of energy intake on energetic efficiency and body composition of beef steers differing in size at maturity, 1371
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617
Effects of prepartum protein nutrition and birth weight on basal metabolism in bovine neonates, 745
Effects of zeranol-implantation periods on

palatability of longissimus steaks from young bulls and steers, 165
Energy value of corn wet milling by-product feeds for finishing ruminants, 1655
Estimation of variance and covariance components to determine heritabilities and repeatability of weaning weight in American Simmental cattle, 975
Estrous behavior in confined beef cows, 431
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Feeding combinations of high moisture corn and dry corn to finishing cattle, 282
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290
Fragmentation and flow of grazed Coastal bermudagrass through the digestive tract of cattle, 609
Genetic parameter estimates for preweaning growth traits in Santa Gertrudis cattle, 1495
Genotype × environment interactions, involving proportion of Brahman breeding and season of birth. I. Calf growth to weaning, 42
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. II. Postweaning growth, sexual development and reproductive performance of heifers, 48
Gonadotropin releasing hormone-induced secretion of luteinizing hormone during the milk-ejection reflex in the postpartum beef cow, 543
Growth and carcass characteristics of cull cows after different times-on-feed, 669
Growth and metabolism of growing beef calves fed tall fescue haylage supplemented with protein and(or) energy, 1094
Growth traits and composition of two- and three-way-cross intact male progeny of Bos taurus and Bos indicus × Bos taurus dams, 16
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
Hormonal, estrual, ovulatory and milk traits in postpartum dairy cows following multiple daily injections of oxytocin, 1585
Identification of methionine and lysine transport systems in cattle small intestine, 630
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Influence of cornual insemination on endometrial damage and microbial flora in the bovine uterus, 212
Influence of lasalocid and monensin plus tylosin on comparative feeding value of steam-flaked versus dry-rolled corn in diets for feedlot cattle, 256
Influence of lasalocid level on forage intake, digestibility, ruminal fermentation, liquid flow and performance of beef cattle grazing winter range, 777
Influence of pre-fast dietary roughage content on recovery from feed and water deprivation in beef steers, 1049
Lasalocid and dietary sodium and potassium effects on mineral metabolism, ruminal volatile fatty acids and performance of finishing steers, 830
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Maternal heterosis and grandmaternal effects in beef cattle: Preweaning traits, 33
Methionine and lysine uptake by cattle small intestine in vitro, 619
Nitrogen metabolism in crossbred steers with varying levels of Brahman using a nitrogen depletion-repletion regimen, 1077
Postpartum interval in beef cows shortened by enclomiphene, 217
Pregnancy rates of beef heifers bred either on puberal or third estrus, 645
Progesterone concentrations in beef heifers bred at puberty or third estrus, 1571
Relationship of growth hormone, prolactin and thyrotropin secretion to individual and progeny performance of Hereford bulls, 63
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366
Relative contributions of hyperplasia and hypertrophy to growth in cattle, 150
Selected hormonal changes with summer fescue toxicosis, 727
Simulated efficiency of range beef production. I. Growth and milk production, 943
Simulated efficiency of range beef production. II. Fertility traits, 956
Simulated efficiency of range beef production. III. Culling strategies and nontraditional management systems, 963
Simulation of genetic control of reproduction in beef cows. I. Simulation model, 68
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354
Suckling behavior of calves with dams varying in milk production, 1207
The crossbred sire: Experimental results for cattle, 128
Transfer of bovine demi-embryos with and without the zona pellucida, 756
Trona and sodium bicarbonate in beef cattle diets: Effects on pH and volatile fatty acid concentrations, 309
Trona and sodium bicarbonate in beef cattle diets: Effects on site and extent of digestion, 303
Utilization of cotton plant residues by ruminants, 1131
Utilization of low-quality native grass hay by beef cows fed increasing quantities of corn grain, 557
Cellulose
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Thoughts on fiber utilization in swine, 497
Cerebrospinal Fluid

A re-evaluation of the minimum vitamin A requirement of growing-finishing lambs, 1626
Cereal By-products
Energy value of corn wet milling by-product feeds for finishing ruminants, 1655
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Optimizing the utilization of cereal crop residues for beef cattle, 1124
Chemical Treatment
Ammoniation of warm-season grass hay for gestating beef cows, 359
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617
Effects of heat and alcohol treatments of soybean meal on nitrogen utilization by sheep, 235
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Optimizing the utilization of cereal crop residues for beef cattle, 1124
Utilization of cotton plant residues by ruminants, 1131
Chicks
Comparative effects of individual amino acid excesses when added to a corn-soybean meal diet: Effects on growth and dietary choice in the chick, 699
Chimeras
Production of ovine chimeras by inner cell mass transplantation, 317
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Cholesterol
Cholesterol concentration of longissimus muscle, subcutaneous fat and serum of two beef cattle breed types, 1531
Effects of a dietary antimicrobial (carbadox) on liver cholesterol 7α-hydroxylase activity and bile acid patterns in the young pig, 1013
Cimaterol
Cimaterol-induced muscle hypertrophy and altered endocrine status in lambs, 1514
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Clomiphene Citrate
Postpartum interval in beef cows shortened by enclomiphene, 217
Collagen
Collagen stability, testosterone secretion and meat tenderness in growing bulls and steers, 1236
Measurement of the gristle content in beef by macroscopic ultraviolet fluorimetry, 158
Colostrum
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
In vitro growth-promoting activity of porcine mammary secretions: Initial characterization and relationship to known peptide growth factors, 1149
Corn
Corn residues in beef production systems, 1139
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Feeding combinations of high moisture corn and dry corn to finishing cattle, 282
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290
Influence of lasalocid and monensin plus tylosin on comparative feeding value of steam-flaked versus dry-rolled corn in diets for feedlot cattle, 256
Corn Gluten Meal
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Corpus Luteum
A comparison of effects of zearalenone and estradiol benzoate on reproductive function during the estrous cycle in gilts, 1576
Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
Corpus luteum function following spontaneous or prostaglandin-induced estrus in Brahman cows and heifers, 524
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Correlations
Breed differences in uterine and ovarian measurements in gestating swine, 685
Genetic parameter estimates for preweaning growth traits in Santa Gertrudis cattle, 1495
Relationships between growth and productivity of range ewes, 929
Cortisol
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
Cotton Gin Trash
Utilization of cotton plant residues by ruminants, 1131
Creatine Phosphokinase
Effect of intraruminally administered, selenium soluble-glass boluses on selenium status in cows and their calves, 815
Crop Residues
Corn residues in beef production systems, 1139
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Optimizing the utilization of cereal crop residues for beef cattle, 1124
Utilization of cotton plant residues by ruminants, 1131
Crossbreeding
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919

Genotype × environment interactions involving proportion of Brahman breeding and season of birth. I. Calf growth to weaning, 42
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. II. Postweaning growth, sexual development and reproductive performance of heifers, 48
Growth traits and composition of two- and three-way-cross intact male progeny of Bos taurus and Bos indicus × Bos taurus dams, 16
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Maternal heterosis and grandmaternal effects in beef cattle: Preweaning traits, 33
Periodic rotational crosses. I. Breed and heterosis utilization, 1471
Periodic rotational crosses. II. Optimizing breed and heterosis use, 1477
Periodic rotational crosses. III. Sire-breed rotations with overlapping generations among dams, 1487
Production efficiency of crossbred ewes and that of their daughters and granddaughters, 896
The crossbred sire: Experimental results for cattle, 128
The crossbred sire: Experimental results for sheep, 110
The crossbred sire: Experimental results for swine, 117
The crossbred sire: Theory, 99
Culling
Simulated efficiency of range beef production. III. Culling strategies and nontraditional management systems, 963
Culture Media
Comparison of Ham's F10 with $CO_2$ or Hepes buffer for storage of equine embryos at 5 C for 24 h, 1775
Viability of stored equine embryos, 534

## D

Deficiency
Biochemical and physiological indicators of mineral status in animals: Copper, cobalt and zinc, 1702
Biochemical and physiological indicators of selenium status in animals, 1712
Urea cycle metabolism: Effects of supplemental ornithine or citrulline on performance, tissue amino acid concentrations and enzymatic activity in young pigs fed arginine-deficient diets, 706
Diets
Effect of excess levels of methionine, tryptophan, arginine, lysine or threonine on growth and dietary choice in the pig, 179
Effect of feeding sarsaponin in cattle and swine diets, 9
Effects of feeding sows fat or fructose during late gestation and lactation, 1249
Feeding combinations of high moisture corn and dry corn to finishing cattle, 282
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290
Influence of lasalocid and monensin plus tylosin on comparative feeding value of steam-flaked versus dry-rolled corn in diets for feedlot cattle, 256
Limiting amino acids in an 11% crude protein corn-soybean meal diet for growing pigs, 1266
Performance, body composition and carcass characteristics of finishing steers as influenced by previous forage systems, 1381
Urea cycle metabolism: Effects of supplemental ornithine or citrulline on performance, tissue amino acid concentrations and enzymatic activity in young pigs fed arginine-deficient diets, 706
Digestion
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
B-vitamin supplementation of diets for feedlot calves, 267
Effect of cutting interval upon yield, composition and digestibility of Florida 77 alfalfa and Florigraze rhizoma peanut, 786
Effect of hay substitution on intake and digestibility of forage rape (Brassica napus) fed to lambs, 1639
Effect of level of alimentation on visceral organ mass and the morphology and $Na^+$, $K^+$ adenosinetriphosphatase activity of intestinal mucosa in lambs, 1058
Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
Effects of different heat treatments during processing on nutrient digestibility of soybean meal in growing swine, 1273
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in situ digestibilities of low quality fescue hay, 224
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Energy utilization and blood traits of ponies fed fat-supplemented diets, 1019
Energy value of corn wet milling by-product feeds for finishing ruminants, 1655
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Feeding combinations of high moisture corn and dry corn to finishing cattle, 282
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290
Fragmentation and flow of grazed Coastal bermudagrass through the digestive tract of cattle, 609
Growth and metabolism of growing beef calves fed tall fescue haylage supplemented with protein and(or) energy, 1094
In situ degradability of protein and dry matter from single protein sources and from a total

diet, 567
Induced non-enzymatic browning of soybean meal. I. Effects of factors controlling non-enzymatic browning on in vitro ammonia release, 1312
Induced non-enzymatic browning of soybean meal. II. Ruminal escape and net portal absorption of soybean protein treated with xylose, 1319
Induced non-enzymatic browning of soybean meal. III. Digestibility and efficiency of protein utilization by ruminants of soybean meal treated with xylose or glucose, 1327
Influence of lasalocid and monensin plus tylosin on comparative feeding value of steam-flaked versus dry-rolled corn in diets for feedlot cattle, 256
Influence of lasalocid level on forage intake, digestibility, ruminal fermentation, liquid flow and performance of beef cattle grazing winter range, 777
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354
Trona and sodium bicarbonate in beef cattle diets: Effects on site and extent of digestion, 303
Utilization of low-quality native grass hay by beef cows fed increasing quantities of corn grain, 557
Dopamine
Effects of physiologic and pharmacologic agents on serum prolactin concentrations in the nonpregnant mare, 1292
Drugs
Responsibilities of animal scientists and drug sponsors when conducting research with investigational new animal drugs, 581
Responsibilities of university investigators when conducting trials on investigational new animal drugs, 577

## E

Economic Evaluation
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919
Efficiency
Breeding performance of bulls assigned either to 40 cows per bull or 80 cows per two bulls during the breeding period, 872
Divergent selection for postweaning feed conversion in beef cattle: Predicted response based on an index of feed intake and gain vs feed:gain ratio, 886
Effect of efrotomycin on gain and feed efficiency for pigs from weaning until market weight, 877
Effect of various levels of avilamycin on the performance of growing-finishing swine, 881
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
Production efficiency of crossbred ewes and that of their daughters and granddaughters, 896
Simulated efficiency of range beef production. I. Growth and milk production, 943
Simulated efficiency of range beef production. II. Fertility traits, 956
Simulated efficiency of range beef production. III. Culling strategies and nontraditional management systems, 963
Embryos
Comparison of Ham's F10 with $CO_2$ or Hepes buffer for storage of equine embryos at 5 C for 24 h, 1775
Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Justification of unilateral hysterectomy-ovariectomy as a model to evaluate uterine capacity in swine, 738
Ovulation and embryonic survival in pubertal gilts treated with gonadotropin releasing hormone, 752
Production of ovine chimeras by inner cell mass transplantation, 317
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Relationships between uterine length and number of fetuses and prenatal mortality in pigs, 762
Transfer of bovine demi-embryos with and without the zona pellucida, 756
Viability of stored equine embryos, 534
Enclomiphene
Postpartum interval in beef cows shortened by enclomiphene, 217
Endocrine Glands
A model for assessing the impact of behavioral stress on domestic animals, 1228
Cimaterol-induced muscle hypertrophy and altered endocrine status in lambs, 1514
Effect of animal density on endocrine development in gilts, 439
Influence of frame size and zeranol on growth, compositional growth and plasma hormone characteristics, 1113
Endorphins
Developmental aspects of motivated behavior in domestic animals, 1220
Energy
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
Effect of protein and lysine levels in the diet on body gain composition and energy utilization in growing pigs, 717
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Effects of energy intake on energetic efficiency and body composition of beef steers differing in size at maturity, 1371
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in

situ digestibilities of low quality fescue hay, 224
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
Nutritionally-induced anestrus in gilts: Metabolic and endocrine changes associated with cessation and resumption of estrous cycles, 508
Environmental Temperature
Effects of season, floor type, air temperature and snout coolers on sow and litter performance, 1507
Effects of weaning weight, co-mingling, group size and room temperature on pig performance, 1201
Estrogens
A comparison of effects of zearalenone and estradiol benzoate on reproductive function during the estrous cycle in gilts, 1576
Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
Effect of altrenogest and lutalyse on parturition control, plasma progesterone, unconjugated estrogen and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in sows, 203
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Postpartum interval in beef cows shortened by enclomiphene, 217
Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034
Secretory function of the ovine uterus: Effects of gestation and steroid replacement therapy, 1400
Estrus
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Estrous behavior in confined beef cows, 431
Hormonal, estrual, ovulatory and milk traits in postpartum dairy cows following multiple daily injections of oxytocin, 1585
Influence of duration of litter separation and boar exposure on estrous expression of sows during and after lactation, 1500
Nutritionally-induced anestrus in gilts: Metabolic and endocrine changes associated with cessation and resumption of estrous cycles, 508
Pregnancy rates of beef heifers bred either on puberal or third estrus, 645
Experimental Design
Design and execution of animal behavior research: An overview, 1213

## F

Fasting
Effects of fasting on tissue amino acid concentrations and urea-cycle enzymatic activities in young pigs, 1538
Influence of pre-fast dietary roughage content on recovery from feed and water deprivation in beef steers, 1049
Fats
Carcass composition and adipose tissue metabolism in growing sheep, 1525
Cholesterol concentration of longissimus muscle, subcutaneous fat and serum of two beef cattle breed types, 1531
Effects of adrenergic agonists and insulin on porcine adipose tissue lipid metabolism in vitro, 136
Effects of feeding sows fat or fructose during late gestation and lactation, 1249
Energy utilization and blood traits of ponies fed fat-supplemented diets, 1019
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Fatty Acids
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475
Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610
In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Thoughts on fiber utilization in swine, 497
Trona and sodium bicarbonate in beef cattle diets: Effects on pH and volatile fatty acid concentrations, 309
Feed Intake
Comparative effects of individual amino acid excesses when added to a corn-soybean meal diet: Effects on growth and dietary choice in the chick, 699
Effect of excess levels of methionine, tryptophan, arginine, lysine or threonine on growth and dietary choice in the pig, 179
Effect of hay substitution on intake and digestibility of forage rape (Brassica napus) fed to lambs, 1639
Feeding behavior characteristics of intact male lambs as affected by number of lambs in a pen with restricted access to the feed stall, 422
Growth and carcass characteristics of cull cows after different times-on-feed, 669
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Self-selection by growing pigs of diets differing in lysine content, 1257
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Utilization of low-quality native grass hay by beef cows fed increasing quantities of corn grain, 557
Fermentation
Effect of magnesium and potassium on microbial fermentation in a continuous culture fermenta-

tion system with different levels of monensin or lasalocid, 1633
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in situ digestibilities of low quality fescue hay, 224
In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Fescue
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Growth and metabolism of growing beef calves fed tall fescue haylage supplemented with protein and(or) energy, 1094
Ruminal solubility of nitrogen and minerals from fescue and fescue-red clover herbage, 1101
Selected hormonal changes with summer fescue toxicosis, 727
Fiber
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in situ digestibilities of low quality fescue hay, 224
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Influence of pre-fast dietary roughage content on recovery from feed and water deprivation in beef steers, 1049
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354
Thoughts on fiber utilization in swine, 497
Flooring
Effect of animal density on endocrine development in gilts, 439
Effects of season, floor type, air temperature and snout coolers on sow and litter performance, 1507
Fluorescence
Measurement of the gristle content in beef by macroscopic ultraviolet fluorimetry, 158
Fluorine
Chronic toxicity of dietary fluorine to mink, 1759
Follicles
Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
Ovarian response to pregnant mare serum gonadotropin and porcine pituitary extract in gilts actively immunized against gonadotropin releasing hormone, 1768
Forages
Ammoniation of warm-season grass hay for gestating beef cows, 359
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
Corn residues in beef production systems, 1139
Effect of cutting interval upon yield, composition and digestibility of Florida 77 alfalfa and Florigraze rhizoma peanut, 786
Effect of hay substitution on intake and digestibility of forage rape (Brassica napus) fed to lambs, 1639
Effect of lasalocid on weight gains, ruminal fermentation and forage intake of stocker cattle grazing winter wheat pasture, 865
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Fragmentation and flow of grazed Coastal bermudagrass through the digestive tract of cattle, 609
Growth and metabolism of growing beef calves fed tall fescue haylage supplemented with protein and(or) energy, 1094
Influence of lasalocid level on forage intake, digestibility, ruminal fermentation, liquid flow and performance of beef cattle grazing winter range, 777
Performance, body composition and carcass characteristics of finishing steers as influenced by previous forage systems, 1381
Ruminal solubility of nitrogen and minerals from fescue and fescue-red clover herbage, 1101
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354
Fructose
Effects of feeding sows fat or fructose during late gestation and lactation, 1249

## G

Genetic Change
Aspects of selection for performance in several environments with heterogeneous variances, 409
Divergent selection for postweaning feed conversion in beef cattle: Predicted response based on an index of feed intake and gain vs feed:gain ratio, 886
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Genotype Environment Interaction
Aspects of selection for performance in several environments with heterogeneous variances, 409
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. I. Calf growth to weaning, 42
Genotype × environment interactions involving proportion of Brahman breeding and season of birth. II. Postweaning growth, sexual development and reproductive performance of heifers, 48
Simulated genotype, environment and interaction effects on performance characters of sheep, 387
Simulated production and biological efficiency of sheep flocks in a shifting environment, 399

Glutathione Peroxidase
Biochemical and physiological indicators of selenium status in animals, 1712
Effect of intraruminally administered, selenium soluble-glass boluses on selenium status in cows and their calves, 815
Goats
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Gonadotropins
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Effect of photoperiod and castration on prolactin, testosterone and luteinizing hormone concentrations in male calves, 1306
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Endocrine profiles, testicular gonadotropin receptors and sperm production in hemicastrated ram lambs, 1563
Gonadotropin releasing hormone-induced secretion of luteinizing hormone during the milk-ejection reflex in the postpartum beef cow, 543
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Nutritionally-induced anestrus in gilts: Metabolic and endocrine changes associated with cessation and resumption of estrous cycles, 508
Ovarian response to pregnant mare serum gonadotropin and porcine pituitary extract in gilts actively immunized against gonadotropin releasing hormone, 1768
Ovulation and embryonic survival in pubertal gilts treated with gonadotropin releasing hormone, 752
Grading
Relationship between feeder pig frame size and market hog characteristics, 1167
Growth
A comparison of methods for ranking boars from different central test stations, 56
Beef cattle feed intake and growth: Empirical Bayes derivation of the Kalman filter applied to a nonlinear dynamic model, 1362
Carcass composition and adipose tissue metabolism in growing sheep, 1525
Cimaterol-induced muscle hypertrophy and altered endocrine status in lambs, 1514
Cytoplasmic genetic effects on preweaning growth and milk yield in Hereford cattle, 675
Dose response of two synthetic human growth hormone-releasing factors on growth hormone release in heifers and pigs, 996
Effect of a major gene for growth on protein synthesis in mice, 982
Effect of feeding sarsaponin in cattle and swine diets, 9
Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Effect of various levels of avilamycin on the performance of growing-finishing swine, 881
Effects of weaning weight, co-mingling, group size and room temperature on pig performance, 1201
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Feed efficiency, growth rates, body composition, milk production and milk composition of Targhee sheep selected for increased weaning weight, 692
Growth and carcass characteristics of cull cows after different times-on-feed, 669
Growth traits and composition of two- and three-way-cross intact male progeny of Bos taurus and Bos indicus × Bos taurus dams, 16
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
In vitro growth-promoting activity of porcine mammary secretions: Initial characterization and relationship to known peptide growth factors, 1149
Influence of frame size and zeranol on growth, compositional growth and plasma hormone characteristics, 1113
Influence of sarsaponin on growth, feed and nitrogen utilization in growing male rats fed diets with added urea or protein, 481
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034
Relationship of growth hormone, prolactin and thyrotropin secretion to individual and progeny performance of Hereford bulls, 63
Relationships between growth and productivity of range ewes, 929
Relative contributions of hyperplasia and hypertrophy to growth in cattle, 150
Self-selection by growing pigs of diets differing in lysine content, 1257
Simulated efficiency of range beef production. I. Growth and milk production, 943
The crossbred sire: Experimental results for cattle, 128

## H

Hair
Hair analysis as an indicator of mineral status of livestock, 1753
Hay
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Ammoniation of warm-season grass hay for gestating beef cows, 359
Effect of cutting interval upon yield, composition and digestibility of Florida 77 alfalfa and Florigraze rhizoma peanut, 786
Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821

Heat Production
Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
Effects of prepartum protein nutrition and birth weight on basal metabolism in bovine neonates, 745
Energy utilization and blood traits of ponies fed fat-supplemented diets, 1019
Heat Stress
Effects of heat and social stressors and within-pen weight variation on young pig performance and agonistic behavior, 456
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
Heat Treatment
Effects of different heat treatments during processing of soybean meal on nursery and growing pig performance, 1283
Effects of different heat treatments during processing on nutrient digestibility of soybean meal in growing swine, 1273
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617
Effects of heat and alcohol treatments of soybean meal on nitrogen utilization by sheep, 235
Induced non-enzymatic browning of soybean meal. I. Effects of factors controlling non-enzymatic browning on in vitro ammonia release, 1312
Induced non-enzymatic browning of soybean meal. II. Ruminal escape and net portal absorption of soybean protein treated with xylose, 1319
Induced non-enzymatic browning of soybean meal. III. Digestibility and efficiency of protein utilization by ruminants of soybean meal treated with xylose or glucose, 1327
Heritability
Analysis of gestation length in American Simmental cattle, 970
Estimation of variance and covariance components to determine heritabilities and repeatability of weaning weight in American Simmental cattle, 975
Genetic parameter estimates for preweaning growth traits in Santa Gertrudis cattle, 1495
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366
Relationships between growth and productivity of range ewes, 929
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Heterogeneity
Aspects of selection for performance in several environments with heterogeneous variances, 409
Histology
Effect of orally administered pilocarpine on serum enzymes, organ weights and histopathology in meadow voles, 734
Horses
Comparison of Ham's F10 with $CO_2$ or Hepes buffer for storage of equine embryos at 5 C for 24 h, 1775
Energy utilization and blood traits of ponies fed fat-supplemented diets, 1019
Viability of stored equine embryos, 534

I

Immunization
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Immunoglobulins
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
Indexes
Divergent selection for postweaning feed conversion in beef cattle: Predicted response based on an index of feed intake and gain vs feed:gain ratio, 886
Infrared Spectroscopy
Analysis of bovine udder, plate and viscera using near infrared reflectance spectroscopy, 278
Inner Cell Mass
Production of ovine chimeras by inner cell mass transplantation, 317
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Insemination
Influence of cornual insemination on endometrial damage and microbial flora in the bovine uterus, 212
Insulin
Effects of adrenergic agonists and insulin on porcine adipose tissue lipid metabolism in vitro, 136
Selected hormonal changes with summer fescue toxicosis, 727
Intensive Production
Response of purebred and crossbred ewes to intensified management, 651
Intestinal Microorganisms
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Thoughts on fiber utilization in swine, 497
Intestines
Description and validation of an in situ autoperfusion method to determine nutrient absorption and metabolism in bovine small intestine, 841
Identification of methionine and lysine transport systems in cattle small intestine, 630
Influence of picolinic acid on the uptake of $^{65}$zinc-amino acid complexes by the everted rat gut, 173
Methionine and lysine uptake by cattle small intestine in vitro, 619
Ion Transport
Effect of level of alimentation on visceral organ mass and the morphology and $Na^+$, $K^+$ adenosinetriphosphatase activity of intestinal mucosa in lambs, 1058
Ionophores
Effect of lasalocid on weight gains, ruminal fermentation and forage intake of stocker cattle grazing winter wheat pasture, 865
Effect of magnesium and potassium on microbial

fermentation in a continuous culture fermentation system with different levels of monensin or lasalocid, 1633
Effect of supplementation with concentrates and lasalocid during late pregnancy and lactation on productivity of Rambouillet ewes and development of wool follicles in their lambs, 351
Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610
In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064
Influence of lasalocid and monensin plus tylosin on comparative feeding value of steam-flaked versus dry-rolled corn in diets for feedlot cattle, 256
Influence of lasalocid level on forage intake, digestibility, ruminal fermentation, liquid flow and performance of beef cattle grazing winter range, 777
Lasalocid and dietary sodium and potassium effects on mineral metabolism, ruminal volatile fatty acids and performance of finishing steers, 830

## K

Kinetics
Kinetics of intravenously administered 25-hydroxyvitamin $D_3$ in sheep and the effect of exposure to ultraviolet radiation, 808

## L

Lactation
Cytoplasmic genetic effects on preweaning growth and milk yield in Hereford cattle, 675
Effect of intraruminally administered, selenium soluble-glass boluses on selenium status in cows and their calves, 815
Feed efficiency, growth rates, body composition, milk production and milk composition of Targhee sheep selected for increased weaning weight, 692
Gonadotropin releasing hormone-induced secretion of luteinizing hormone during the milk-ejection reflex in the postpartum beef cow, 543
In vitro growth-promoting activity of porcine mammary secretions: Initial characterization and relationship to known peptide growth factors, 1149
Influence of duration of litter separation and boar exposure on estrous expression of sows during and after lactation, 1500
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Phenylalanine requirement of the lactating sow, 1006
Simulated efficiency of range beef production. I. Growth and milk production, 943
Suckling behavior of calves with dams varying in milk production, 1207
Lactic Acid
In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064
Lipoproteins
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Litter Size
Justification of unilateral hysterectomy-ovariectomy as a model to evaluate uterine capacity in swine, 738
Relationships between uterine length and number of fetuses and prenatal mortality in pigs, 762
Longevity
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366

## M

Magnesium
Effect of magnesium and potassium on microbial fermentation in a continuous culture fermentation system with different levels of monensin or lasalocid, 1633
Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates, 1667
Maternal Effects
Analysis of gestation length in American Simmental cattle, 970
Cytoplasmic genetic effects on preweaning growth and milk yield in Hereford cattle, 675
Maternal heterosis and grandmaternal effects in beef cattle: Postweaning growth and carcass traits, 1180
Maternal heterosis and grandmaternal effects in beef cattle: Preweaning traits, 33
Meat
Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475
Cholesterol concentration of longissimus muscle, subcutaneous fat and serum of two beef cattle breed types, 1531
Collagen stability, testosterone secretion and meat tenderness in growing bulls and steers, 1236
Effects of zeranol-implantation periods on palatability of longissimus steaks from young bulls and steers, 165
Histopathological observation of stress myopathy in M. longissimus in the pig and relationships with meat quality, fattening and slaughter traits, 584
Ionic strength and myofibrillar protein solubilization, 597
Measurement of the gristle content in beef by macroscopic ultraviolet fluorimetry, 158
Meat and Bone Meal
In situ degradability of protein and dry matter from single protein sources and from a total diet, 567

Metabolic Disorders
Biochemical and physiological indicators of mineral status in animals: Copper, cobalt and zinc, 1702
Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates, 1667
Methodology
Design and execution of animal behavior research: An overview, 1213
Mice
Effect of a major gene for growth on protein synthesis in mice, 982
Milling
Energy value of corn wet milling by-product feeds for finishing ruminants, 1655
Minerals
Assessment of cadmium, lead and vanadium status of large animals as related to the human food chain, 1744
Assessment of mineral status in domestic animals: Introductory remarks, 1700
Biochemical and physiological indicators of mineral status in animals: Copper, cobalt and zinc, 1702
Biochemical and physiological indicators of selenium status in animals, 1712
Effect of magnesium and potassium on microbial fermentation in a continuous culture fermentation system with different levels of monensin or lasalocid, 1633
Effect of water restriction and dietary potassium on nutrient metabolism in lambs, 1336
Hair analysis as an indicator of mineral status of livestock, 1753
Influence of picolinic acid on the uptake of $^{65}$zinc-amino acid complexes by the everted rat gut, 173
Interactions of calcium, phosphorus, magnesium and vitamin D that influence their status in domestic meat animals, 1727
Lasalocid and dietary sodium and potassium effects on mineral metabolism, ruminal volatile fatty acids and performance of finishing steers, 830
Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821
Ruminal solubility of nitrogen and minerals from fescue and fescue-red clover herbage, 1101
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates, 1667
Mink
Chronic toxicity of dietary fluorine to mink, 1759
Models
A comparison of methods for ranking boars from different central test stations, 56
A model for assessing the impact of behavioral stress on domestic animals, 1228
A systems analysis approach for studying the effect of reproduction-enhancing biotechnologies on the genetic improvement of beef cattle, 901
Beef cattle feed intake and growth: Empirical Bayes derivation of the Kalman filter applied to a nonlinear dynamic model, 1362
Description and validation of the Texas A&M sheep simulation model, 373
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Periodic rotational crosses. I. Breed and heterosis utilization, 1471
Periodic rotational crosses. II. Optimizing breed and heterosis use, 1477
Periodic rotational crosses. III. Sire-breed rotations with overlapping generations among dams, 1487
Simulated efficiency of range beef production. I. Growth and milk production, 943
Simulated efficiency of range beef production. II. Fertility traits, 956
Simulated efficiency of range beef production. III. Culling strategies and nontraditional management systems, 963
Simulated genotype, environment and interaction effects on performance characters of sheep, 387
Simulated production and biological efficiency of sheep flocks in a shifting environment, 399
Simulation of genetic control of reproduction in beef cows. I. Simulation model, 68
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88
The crossbred sire: Theory, 99
Moisture Content
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Monte Carlo Method
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Muscles
Cimaterol-induced muscle hypertrophy and altered endocrine status in lambs, 1514
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Histopathological observation of stress myopathy in M. longissimus in the pig and relationships with meat quality, fattening and slaughter traits, 584
Ionic strength and myofibrillar protein solubilization, 597

## N

Naloxone
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Neonates
Effects of prepartum protein nutrition and birth weight on basal metabolism in bovine neonates, 745

Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034
Nitrogen
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
Effect of soybean lipid on growth and ruminal nitrogen metabolism in cattle fed soybean meal or ground whole soybeans, 1680
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Influence of sarsaponin on growth, feed and nitrogen utilization in growing male rats fed diets with added urea or protein, 481
Limiting amino acids in an 11% crude protein corn-soybean meal diet for growing pigs, 1266
Nitrogen metabolism in crossbred steers with varying levels of Brahman using a nitrogen depletion-repletion regimen, 1077
Phenylalanine requirement of the lactating sow, 1006
Ruminal solubility of nitrogen and minerals from fescue and fescue-red clover herbage, 1101
Nucleic Acids
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Post-prandial compositional changes of fluid- and particle-associated ruminal microorganisms, 1042
Relative contributions of hyperplasia and hypertrophy to growth in cattle, 150
Nutrient Uptake
Effect of water restriction and dietary potassium on nutrient metabolism in lambs, 1336
Effects of dietary monensin and sodium propionate on net nutrient flux in steers fed a high-concentrate diet, 1610

## O

Ontogeny
Developmental aspects of motivated behavior in domestic animals, 1220
Opioids
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Ovaries
A comparison of effects of zearalenone and estradiol benzoate on reproductive function during the estrous cycle in gilts, 1576
Breed differences in uterine and ovarian measurements in gestating swine, 685
Corpus luteum function following spontaneous or prostaglandin-induced estrus in Brahman cows and heifers, 524
Effect of animal density on endocrine development in gilts, 439
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Ovarian response to pregnant mare serum gonadotropin and porcine pituitary extract in gilts actively immunized against gonadotropin releasing hormone, 1768
Ovulation
Hormonal, estrual, ovulatory and milk traits in postpartum dairy cows following multiple daily injections of oxytocin, 1585
Justification of unilateral hysterectomy-ovariectomy as a model to evaluate uterine capacity in swine, 738
Ovulation and embryonic survival in pubertal gilts treated with gonadotropin releasing hormone, 752
Oxytocin
Hormonal, estrual, ovulatory and milk traits in postpartum dairy cows following multiple daily injections of oxytocin, 1585

## P

Particle Size
Fragmentation and flow of grazed Coastal bermudagrass through the digestive tract of cattle, 609
Parturition
Effect of altrenogest and lutalyse on parturition control, plasma progesterone, unconjugated estrogen and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in sows, 203
Paternal Effects
The crossbred sire: Experimental results for cattle, 128
The crossbred sire: Experimental results for sheep, 110
The crossbred sire: Experimental results for swine, 117
The crossbred sire: Theory, 99
Peanuts
Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475
Effect of cutting interval upon yield, composition and digestibility of Florida 77 alfalfa and Florigraze rhizoma peanut, 786
Performance
B-vitamin supplementation of diets for feedlot calves, 267
Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
Effect of supplementation with concentrates and lasalocid during late pregnancy and lactation on productivity of Rambouillet ewes and development of wool follicles in their lambs, 351
Effects of different heat treatments during processing of soybean meal on nursery and growing pig performance, 1283
Effects of feeding systems on social and feeding behavior and performance of finishing pigs,

463
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Feeding combinations of high moisture corn and dry corn to finishing cattle, 282
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290
Performance, body composition and carcass characteristics of finishing steers as influenced by previous forage systems, 1381
Relationships between growth and productivity of range ewes, 929
Pharmacology
Effect of orally administered pilocarpine on serum enzymes, organ weights and histopathology in meadow voles, 734
Photoperiod
Effect of photoperiod and castration on prolactin, testosterone and luteinizing hormone concentrations in male calves, 1306
Picolinic Acid
Influence of picolinic acid on the uptake of $^{65}$ zinc-amino acid complexes by the everted rat gut, 173
Pigs
A comparison of effects of zearalenone and estradiol benzoate on reproductive function during the estrous cycle in gilts, 1576
A comparison of methods for ranking boars from different central test stations, 56
Activity of fiber-degrading microorganisms in the pig large intestine, 488
Breed differences in uterine and ovarian measurements in gestating swine, 685
Carcass and meat quality characteristics and backfat fatty acid composition of swine as affected by the consumption of peanuts remaining in the field after harvest, 475
Developmental aspects of motivated behavior in domestic animals, 1220
Dose response of two synthetic human growth hormone-releasing factors on growth hormone release in heifers and pigs, 996
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919
Effect of altrenogest and lutalyse on parturition control, plasma progesterone, unconjugated estrogen and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in sows, 203
Effect of animal density on endocrine development in gilts, 439
Effect of efrotomycin on gain and feed efficiency for pigs from weaning until market weight, 877
Effect of excess levels of methionine, tryptophan, arginine, lysine or threonine on growth and dietary choice in the pig, 179
Effect of feeding sarsaponin in cattle and swine diets, 9
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Effect of neomycin, carbadox and length of adaptation to calorimeter on performance, fasting metabolism and gastrointestinal tract of young pigs, 1243
Effect of protein and lysine levels in the diet on body gain composition and energy utilization in growing pigs, 717
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Effect of various levels of avilamycin on the performance of growing-finishing swine, 881
Effects of a dietary antimicrobial (carbadox) on liver cholesterol 7α-hydroxylase activity and bile acid patterns in the young pig, 1013
Effects of different heat treatments during processing of soybean meal on nursery and growing pig performance, 1283
Effects of different heat treatments during processing on nutrient digestibility of soybean meal in growing swine, 1273
Effects of fasting on tissue amino acid concentrations and urea-cycle enzymatic activities in young pigs, 1538
Effects of feeding sows fat or fructose during late gestation and lactation, 1249
Effects of feeding systems on social and feeding behavior and performance of finishing pigs, 463
Effects of heat and social stressors and within-pen weight variation on young pig performance and agonistic behavior, 456
Effects of season, floor type, air temperature and snout coolers on sow and litter performance, 1507
Effects of weaning weight, co-mingling, group size and room temperature on pig performance, 1201
Histopathological observation of stress myopathy in M. longissimus in the pig and relationships with meat quality, fattening and slaughter traits, 584
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
In vitro growth-promoting activity of porcine mammary secretions: Initial characterization and relationship to known peptide growth factors, 1149
Influence of duration of litter separation and boar exposure on estrous expression of sows during and after lactation, 1500
Justification of unilateral hysterectomy-ovariectomy as a model to evaluate uterine capacity in swine, 738
Limiting amino acids in an 11% crude protein corn-soybean meal diet for growing pigs, 1266
Nutritionally-induced anestrus in gilts: Metabolic and endocrine changes associated with cessation and resumption of estrous cycles, 508
Ovarian response to pregnant mare serum gonadotropin and porcine pituitary extract in gilts actively immunized against gonadotropin releasing hormone, 1768
Ovulation and embryonic survival in pubertal gilts treated with gonadotropin releasing hormone, 752
Phenylalanine requirement of the lactating sow, 1006

Relationship between feeder pig frame size and market hog characteristics, 1167
Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034
Relationships between uterine length and number of fetuses and prenatal mortality in pigs, 762
Self-selection by growing pigs of diets differing in lysine content, 1257
The crossbred sire: Experimental results for swine, 117
Thoughts on fiber utilization in swine, 497
Urea cycle metabolism: Effects of supplemental ornithine or citrulline on performance, tissue amino acid concentrations and enzymatic activity in young pigs fed arginine-deficient diets, 706
Pilocarpine
Effect of orally administered pilocarpine on serum enzymes, organ weights and histopathology in meadow voles, 734
Placenta
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Polysaccharides
Post-prandial compositional changes of fluid- and particle-associated ruminal microorganisms, 1042
Postpartum Interval
Estrous behavior in confined beef cows, 431
Gonadotropin releasing hormone-induced secretion of luteinizing hormone during the milk-ejection reflex in the postpartum beef cow, 543
Hormonal, estrual, ovulatory and milk traits in postpartum dairy cows following multiple daily injections of oxytocin, 1585
Postpartum interval in beef cows shortened by enclomiphene, 217
Simulation of genetic control of reproduction in beef cows. I. Simulation model, 68
Potassium
Effect of magnesium and potassium on microbial fermentation in a continuous culture fermentation system with different levels of monensin or lasalocid, 1633
Effect of water restriction and dietary potassium on nutrient metabolism in lambs, 1336
Lasalocid and dietary sodium and potassium effects on mineral metabolism, ruminal volatile fatty acids and performance of finishing steers, 830
Pregnancy
Analysis of gestation length in American Simmental cattle, 970
Cow breeding and calf growth performance as affected by pregnancy status the previous year, 345
Pregnancy rates of beef heifers bred either on puberal or third estrus, 645
Progesterone concentrations in beef heifers bred at puberty or third estrus, 1571
Preweaning Traits
Maternal heterosis and grandmaternal effects in beef cattle: Preweaning traits, 33
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366
Profitability
Production efficiency of crossbred ewes and that of their daughters and granddaughters, 896
Progestogens
Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
Effect of altrenogest and lutalyse on parturition control, plasma progesterone, unconjugated estrogen and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in sows, 203
Effect of lipoproteins and luteinizing hormone on progesterone production by large and small luteal cells throughout the porcine estrous cycle, 1027
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Increased luteinizing hormone secretion and ovarian function in heifers actively immunized against estrogen and progesterone, 771
Progesterone concentrations in beef heifers bred at puberty or third estrus, 1571
Secretory function of the ovine uterus: Effects of gestation and steroid replacement therapy, 1400
Prolactin
Effect of photoperiod and castration on prolactin, testosterone and luteinizing hormone concentrations in male calves, 1306
Effects of physiologic and pharmacologic agents on serum prolactin concentrations in the nonpregnant mare, 1292
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034
Relationship of growth hormone, prolactin and thyrotropin secretion to individual and progeny performance of Hereford bulls, 63
Selected hormonal changes with summer fescue toxicosis, 727
Prostaglandins
Corpus luteum function following spontaneous or prostaglandin-induced estrus in Brahman cows and heifers, 524
Effect of altrenogest and lutalyse on parturition control, plasma progesterone, unconjugated estrogen and 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ in sows, 203
Effect of prostaglandin $F_{2\alpha}$-induced luteolysis on in vivo and in vitro progesterone production by individual placentomes of cows, 500
Protein
Apparent digestibility of nitrogen and nitrogen retention of forages fed to steers in metabolism stalls, 1690
Effect of a major gene for growth on protein synthesis in mice, 982
Effect of orally administered pilocarpine on serum enzymes, organ weights and histopathology in meadow voles, 734
Effect of protein and lysine levels in the diet on body gain composition and energy utilization in growing pigs, 717

Effect of soybean lipid on growth and ruminal nitrogen metabolism in cattle fed soybean meal or ground whole soybeans, 1680
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617
Effects of heat and alcohol treatments of soybean meal on nitrogen utilization by sheep, 235
Effects of prepartum protein nutrition and birth weight on basal metabolism in bovine neonates, 745
In situ degradability of protein and dry matter from single protein sources and from a total diet, 567
Induced non-enzymatic browning of soybean meal. I. Effects of factors controlling non-enzymatic browning on in vitro ammonia release, 1312
Induced non-enzymatic browning of soybean meal. II. Ruminal escape and net portal absorption of soybean protein treated with xylose, 1319
Induced non-enzymatic browning of soybean meal. III. Digestibility and efficiency of protein utilization by ruminants of soybean meal treated with xylose or glucose, 1327
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Ionic strength and myofibrillar protein solubilization, 597
Nitrogen metabolism in crossbred steers with varying levels of Brahman using a nitrogen depletion-repletion regimen, 1077
Relative contributions of hyperplasia and hypertrophy to growth in cattle, 150
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354
Puberty
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Pregnancy rates of beef heifers bred either on puberal or third estrus, 645
Progesterone concentrations in beef heifers bred at puberty or third estrus, 1571

## R

Ratios
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Rats
Influence of picolinic acid on the uptake of $^{65}$zinc-amino acid complexes by the everted rat gut, 173
Influence of sarsaponin on growth, feed and nitrogen utilization in growing male rats fed diets with added urea or protein, 481
Receptors
Endocrine profiles, testicular gonadotropin receptors and sperm production in hemi-castrated ram lambs, 1563
Reconstitution
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Regulations
Responsibilities of animal scientists and drug sponsors when conducting research with investigational new animal drugs, 581
Responsibilities of university investigators when conducting trials on investigational new animal drugs, 577
Repeatability
Estimation of variance and covariance components to determine heritabilities and repeatability of weaning weight in American Simmental cattle, 975
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Reproduction
Breeding performance of bulls assigned either to 40 cows per bull or 80 cows per two bulls during the breeding period, 872
Cow breeding and calf growth performance as affected by pregnancy status the previous year, 345
Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Estrous behavior in confined beef cows, 431
Influence of cornual insemination on endometrial damage and microbial flora in the bovine uterus, 212
Nutritionally-induced anestrus in gilts: Metabolic and endocrine changes associated with cessation and resumption of estrous cycles, 508
Pregnancy rates of beef heifers bred either on puberal or third estrus, 645
Production efficiency of crossbred ewes and that of their daughters and granddaughters, 896
Reproductive performance of Suffolk and Suffolk-cross ewes and ewe lambs exposed to vasectomized rams before breeding, 1173
Reproductive traits of ewe lambs representing eight genetic types born in winter, spring, summer and fall, 1195
Response of purebred and crossbred ewes to intensified management, 651
Simulated efficiency of range beef production. II. Fertility traits, 956
Simulation of genetic control of reproduction in beef cows. I. Simulation model, 68
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88
The crossbred sire: Experimental results for cattle, 128
The crossbred sire: Experimental results for sheep, 110
The crossbred sire: Experimental results for swine, 117
The crossbred sire: Theory, 99
Research Policy
Responsibilities of animal scientists and drug sponsors when conducting research with investigational new animal drugs, 581

Responsibilities of university investigators when conducting trials on investigational new animal drugs, 577
Rumen
Effect of intraruminally administered, selenium soluble-glass boluses on selenium status in cows and their calves, 815
Effects of heat and alcohol treatments of soybean meal on nitrogen utilization by sheep, 235
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in situ digestibilities of low quality fescue hay, 224
In vitro lactic acid inhibition and alterations in volatile fatty acid production by antimicrobial feed additives, 1064
Induced non-enzymatic browning of soybean meal. I. Effects of factors controlling non-enzymatic browning on in vitro ammonia release, 1312
Induced non-enzymatic browning of soybean meal. II. Ruminal escape and net portal absorption of soybean protein treated with xylose, 1319
Induced non-enzymatic browning of soybean meal. III. Digestibility and efficiency of protein utilization by ruminants of soybean meal treated with xylose or glucose, 1327
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Post-prandial compositional changes of fluid- and particle-associated ruminal microorganisms, 1042
Ruminal solubility of nitrogen and minerals from fescue and fescue-red clover herbage, 1101
Steers grazing blue grama rangeland throughout the growing season. I. Dietary composition, intake, digesta kinetics and ruminal fermentation, 1342
Steers grazing blue grama rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis, 1354

## S

Sarsaponin
Effect of feeding sarsaponin in cattle and swine diets, 9
Influence of sarsaponin on growth, feed and nitrogen utilization in growing male rats fed diets with added urea or protein, 481
Seasons
Effects of season, floor type, air temperature and snout coolers on sow and litter performance, 1507
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Selection
Aspects of selection for performance in several environments with heterogeneous variances, 409
Divergent selection for postweaning feed conversion in beef cattle: Predicted response based on an index of feed intake and gain vs feed:gain ratio, 886
Feed efficiency, growth rates, body composition, milk production and milk composition of Targhee sheep selected for increased weaning weight, 692
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88
Selenium
Biochemical and physiological indicators of selenium status in animals, 1712
Effect of intraruminally administered, selenium soluble-glass boluses on selenium status in cows and their calves, 815
Sheep
A re-evaluation of the minimum vitamin A requirement of growing-finishing lambs, 1626
Ammoniation of warm-season grass hay for gestating beef cows, 359
Carcass composition and adipose tissue metabolism in growing sheep, 1525
Characterization of ovine follicles destined to form subfunctional corpora lutea, 1595
Characterization of xenobiotic biotransformation in hepatic, renal and gut tissues of cattle and sheep, 186
Cimaterol-induced muscle hypertrophy and altered endocrine status in lambs, 1514
Description and validation of the Texas A&M sheep simulation model, 373
Effect of hay substitution on intake and digestibility of forage rape (Brassica napus) fed to lambs, 1639
Effect of level of alimentation on visceral organ mass and the morphology and $Na^+$, $K^+$ adenosinetriphosphatase activity of intestinal mucosa in lambs, 1058
Effect of prenatal androgenization on lamb performance, carcass composition and reproductive function, 1465
Effect of supplementation with concentrates and lasalocid during late pregnancy and lactation on productivity of Rambouillet ewes and development of wool follicles in their lambs, 351
Effect of the repartitioning agent cimaterol on growth, carcass and skeletal muscle characteristics in lambs, 1392
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Effects of exogenous estradiol-17$\beta$ and progesterone on naloxone-reversible inhibition of the release of luteinizing hormone in ewes, 1602
Effects of mefluidide treatment, nitrogen fertilization and tall fescue variety on nutrient metabolism by growing sheep fed fall-harvested silages, 797
Endocrine profiles, testicular gonadotropin receptors and sperm production in hemi-castrated ram lambs, 1563
Energy value of corn wet milling by-product feeds for finishing ruminants, 1655
Evaluation of corn fiber, cottonseed hulls, oat hulls and soybean hulls as roughage sources for ruminants, 244
Feed efficiency, growth rates, body composition, milk production and milk composition of Targhee sheep selected for increased weaning weight, 692
Feeding behavior characteristics of intact male

lambs as affected by number of lambs in a pen with restricted access to the feed stall, 422
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Kinetics of intravenously administered 25-hydroxyvitamin $D_3$ in sheep and the effect of exposure to ultraviolet radiation, 808
Macromineral absorption in sheep fed tetany-prone and non-tetany-prone hays, 821
Naloxone-reversible inhibition of luteinizing hormone in postpartum ewes: Effects of suckling and season, 196
Production efficiency of crossbred ewes and that of their daughters and granddaughters, 896
Production of ovine chimeras by inner cell mass transplantation, 317
Production of sheep-goat chimeras by inner cell mass transplantation, 325
Relationships between growth and productivity of range ewes, 929
Reproductive performance of Suffolk and Suffolk-cross ewes and ewe lambs exposed to vasectomized rams before breeding, 1173
Reproductive traits of ewe lambs representing eight genetic types born in winter, spring, summer and fall, 1195
Response of purebred and crossbred ewes to intensified management, 651
Secretory function of the ovine uterus: Effects of gestation and steroid replacement therapy, 1400
Simulated genotype, environment and interaction effects on performance characters of sheep, 387
Simulated production and biological efficiency of sheep flocks in a shifting environment, 399
The crossbred sire: Experimental results for sheep, 110
Utilization of cotton plant residues by ruminants, 1131
Utilization of magnesium and other macrominerals in sheep supplemented with different readily-fermentable carbohydrates, 1667

Simulation
A systems analysis approach for studying the effect of reproduction-enhancing biotechnologies on the genetic improvement of beef cattle, 901
Aspects of selection for performance in several environments with heterogeneous variances, 409
Description and validation of the Texas A&M sheep simulation model, 373
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. I. The simulation model, 910
Economic evaluation of alternative crossbreeding systems involving four breeds of swine. II. System efficiency, 919
Merit of utilizing the heritability of a ratio to predict the genetic change of a ratio, 936
Periodic rotational crosses. III. Sire-breed rotations with overlapping generations among dams, 1487
Simulated efficiency of range beef production. I. Growth and milk production, 943
Simulated efficiency of range beef production. II. Fertility traits, 956
Simulated efficiency of range beef production. III. Culling strategies and nontraditional management systems, 963
Simulated genotype, environment and interaction effects on performance characters of sheep, 387
Simulated production and biological efficiency of sheep flocks in a shifting environment, 399
Simulation of genetic control of reproduction in beef cows. I. Simulation model, 68
Simulation of genetic control of reproduction in beef cows. II. Derived genetic parameters, 76
Simulation of genetic control of reproduction in beef cows. III. Within-herd breeding value estimation with known breeding dates, 88

Sire Evaluation
A comparison of methods for ranking boars from different central test stations, 56

Sodium
Lasalocid and dietary sodium and potassium effects on mineral metabolism, ruminal volatile fatty acids and performance of finishing steers, 830

Sodium Bicarbonate
Trona and sodium bicarbonate in beef cattle diets: Effects on pH and volatile fatty acid concentrations, 309
Trona and sodium bicarbonate in beef cattle diets: Effects on site and extent of digestion, 303

Sodium Chloride
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617

Somatotropin
Dose response of two synthetic human growth hormone-releasing factors on growth hormone release in heifers and pigs, 996
Relationship of growth hormone, prolactin and thyrotropin secretion to individual and progeny performance of Hereford bulls, 63
Selected hormonal changes with summer fescue toxicosis, 727

Sorghum
Evaluation of early-harvested and reconstituted grain sorghum in finishing steers, 548
Feeding combinations of high moisture corn and dry-rolled grain sorghum to finishing steers, 290

Soybean Meal
Effect of soybean lipid on growth and ruminal nitrogen metabolism in cattle fed soybean meal or ground whole soybeans, 1680
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Effects of different heat treatments during processing of soybean meal on nursery and growing pig performance, 1283
Effects of different heat treatments during the processing on nutrient digestibility of soybean meal in growing swine, 1273
Effects of ethanol and heat treatments of soybean meal and infusion of sodium chloride into the rumen on ruminal degradation and escape of soluble and total soybean meal protein in steers, 1617

Effects of heat and alcohol treatments of soybean meal on nitrogen utilization by sheep, 235
Induced non-enzymatic browning of soybean meal. I. Effects of factors controlling non-enzymatic browning on in vitro ammonia release, 1312
Induced non-enzymatic browning of soybean meal. II. Ruminal escape and net portal absorption of soybean protein treated with xylose, 1319
Induced non-enzymatic browning of soybean meal. III. Digestibility and efficiency of protein utilization by ruminants of soybean meal treated with xylose or glucose, 1327
Sperm
Endocrine profiles, testicular gonadotropin receptors and sperm production in hemi-castrated ram lambs, 1563
Straw
Optimizing the utilization of cereal crop residues for beef cattle, 1124
Stress
A model for assessing the impact of behavioral stress on domestic animals, 1228
Effect of animal density on endocrine development in gilts, 439
Effects of heat and social stressors and within-pen weight variation on young pig performance and agonistic behavior, 456
Histopathological observation of stress myopathy in M. longissimus in the pig and relationships with meat quality, fattening and slaughter traits, 584
Immunoglobulins in piglets from sows heat-stressed prepartum, 445
Supplements
B-vitamin supplementation of diets for feedlot calves, 267
Effect of supplementation with concentrates and lasalocid during late pregnancy and lactation on productivity of Rambouillet ewes and development of wool follicles in their lambs, 351
Effects of high fiber energy supplements on fermentation characteristics and in vivo and in situ digestibilities of low quality fescue hay, 224
Energy utilization and blood traits of ponies fed fat-supplemented diets, 1019
Optimizing the utilization of cereal crop residues for beef cattle, 1124
Utilization of low-quality native grass hay by beef cows fed increasing quantities of corn grain, 557
Survival
Relationship of estrone and prolactin with growth and survival of piglets to 35 d of age, 1034

## T

Terpenoids
Effects of environmental, site and phenological factors on hymenoxon content of bitterweed (Hymenoxys odorata), 1553
Thyrotropin
Relationship of growth hormone, prolactin and thyrotropin secretion to individual and progeny performance of Hereford bulls, 63
Thyrotropin Releasing Hormone
Effects of physiologic and pharmacologic agents on serum prolactin concentrations in the nonpregnant mare, 1292
Tissue Analysis
Analysis of bovine udder, plate and viscera using near infrared reflectance spectroscopy, 278
Biochemical and physiological indicators of selenium status in animals, 1712
Toxicity
Assessment of cadmium, lead and vanadium status of large animals as related to the human food chain, 1744
Chronic toxicity of dietary fluorine to mink, 1759
Effects of environmental, site and phenological factors on hymenoxon content of bitterweed (Hymenoxys odorata), 1553
Selected hormonal changes with summer fescue toxicosis, 727
Twins
Transfer of bovine demi-embryos with and without the zona pellucida, 756
Type Score
Influence of frame size and zeranol on growth, compositional growth and plasma hormone characteristics, 1113

## U

Udder
Relationships among udder shape, udder capacity, cow longevity and calf weights, 366
Ultraviolet Radiation
Kinetics of intravenously administered 25-hydroxyvitamin $D_3$ in sheep and the effect of exposure to ultraviolet radiation, 808
Urea
Effects of dietary energy level and supplemental protein source on performance of growing steers and nutrient digestibility and nitrogen balance in lambs, 658
Influence of sarsaponin on growth, feed and nitrogen utilization in growing male rats fed diets with added urea or protein, 481
Influence of supplemental four- and five-carbon volatile fatty acids on forage intake and utilization by steers, 1674
Urea Cycle Enzymes
Urea cycle metabolism: Effects of supplemental ornithine or citrulline on performance, tissue amino acid concentrations and enzymatic activity in young pigs fed arginine-deficient diets, 706
Uterus
Breed differences in uterine and ovarian measurements in gestating swine, 685
Effect of animal density on endocrine development in gilts, 439
Effect of unilateral hysterectomy and ovariectomy on puberty, uterine size and embryo development in swine, 1298
Influence of cornual insemination on endometrial damage and microbial flora in the bovine uterus, 212
Justification of unilateral hysterectomy-ovariectomy as a model to evaluate uterine capacity in swine, 738
Relationships between uterine length and number

of fetuses and prenatal mortality in pigs, 762
Secretory function of the ovine uterus: Effects of gestation and steroid replacement therapy, 1400

## V

Variance Components
Estimation of variance and covariance components to determine heritabilities and repeatability of weaning weight in American Simmental cattle, 975
Genetic parameter estimates for preweaning growth traits in Santa Gertrudis cattle, 1495
Vitamins
A re-evaluation of the minimum vitamin A requirement of growing-finishing lambs, 1626
B-vitamin supplementation of diets for feedlot calves, 267
Interactions of calcium, phosphorus, magnesium and vitamin D that influence their status in domestic meat animals, 1727
Kinetics of intravenously administered 25-hydroxyvitamin $D_3$ in sheep and the effect of exposure to ultraviolet radiation, 808
Voles
Effect of orally administered pilocarpine on serum enzymes, organ weights and histopathology in meadow voles, 734

## W

Water Deprivation
Effect of water restriction and dietary potassium on nutrient metabolism in lambs, 1336
Influence of pre-fast dietary roughage content on recovery from feed and water deprivation in beef steers, 1049
Weaning
Influence of duration of litter separation and boar exposure on estrous expression of sows during and after lactation, 1500
Wheat
Effect of lasalocid on weight gains, ruminal fermentation and forage intake of stocker cattle grazing winter wheat pasture, 865
Feeding combinations of dry corn and wheat to finishing lambs and cattle, 1647
Wool
Effect of supplementation with concentrates and lasalocid during late pregnancy and lactation on productivity of Rambouillet ewes and development of wool follicles in their lambs, 351

## X

Xenobiotics
Characterization of xenobiotic biotransformation in hepatic, renal and gut tissues of cattle and sheep, 186

## Z

Zearalenone
A comparison of effects of zearalenone and estradiol benzoate on reproductive function during the estrous cycle in gilts, 1576
Zeranol
Effects of zeranol-implantation periods on palatability of longissimus steaks from young bulls and steers, 165
Growth, feed efficiency and variation of individually fed Angus, Polled Hereford and Holstein steers, 1
Zinc
Biochemical and physiological indicators of mineral status in animals: Copper, cobalt and zinc, 1702
Influence of picolinic acid on the uptake of $^{65}$zinc-amino acid complexes by the everted rat gut, 173
Zona Pellucida
Transfer of bovine demi-embryos with and without the zona pellucida, 756